TCollection

fgCurrentCollection
fgGarbageCollection
fgEmptyingGarbage
fgGarbageStack
kIsOwner
fName
fSize
kInitCapacity
kInitHashTableCapacity
fgIsA

@~TCollection
operator=
Add
AddVector
AddAll
AssertClass
Browse
Capacity
Clear
Compare
Contains
Contains
Delete
Draw
Dump
FindObject
operator()
FindObject
GetName
GetObjectRef
GetSize
GrowBy
Hash
IsArgNull
IsEmpty
IsFolder
IsOwner
IsSortable
Is
MakeIterator
MakeReverseIterator
Paint
Print
Print
RecursiveRemove
Remove
RemoveAll
RemoveAll
SetCurrentCollection
SetName
SetOwner
Write
Write
GetCurrentCollection
StartGarbageCollection
GarbageCollect
EmptyGarbageCollectio
Class
Class_Name
IsA
ShowMembers

TSeqCollection

fSorted
fgIsA

@~TSeqCollection
Changed
Add
AddFirst
AddLast
AddAt
AddAfter
AddBefore
RemoveFirst
RemoveLast
RemoveAt
RemoveAfter
RemoveBefore
At
Before
After
First
Last
LastIndex
IndexOf
IsSorted
UnSort
ObjCompare
QSort
QSort
Class
Class_Name
IsA
ShowMembers

TList

fFirst
fLast
fCache
fAscending
fgIsA

@~TList
LinkAt
FindLink
DoSort
LnkCompare
NewLink
NewOptLink
DeleteLink
TList
TList
Clear
Delete
FindObject
FindObject
MakeIterator
Add
Add
AddFirst
AddFirst
AddLast
AddLast
AddAt
AddAfter
AddAfter
AddBefore
AddBefore
Remove
Remove
At
After
Before
First
FirstLink
GetObjectRef
Last
LastLink
Sort
IsAscending
Class
Class_Name
IsA
ShowMembers

TQConnection

fSlot
fReceiver
fClassName
fgIsA

@~TQConnection
TQConnection
TQConnection
TQConnection
TQConnection
GetName
GetReceiver
GetClassName
Destroyed
ExecuteMethod
ExecuteMethod
ExecuteMethod
ExecuteMethod
ExecuteMethod
Is
Print
Print
Class
Class_Name
IsA
ShowMembers

TQObject

fListOfSignals
fListOfConnections
fgIsA

@~TQObject
GetSender
GetSenderClassName
ConnectToClass
ConnectToClass
CheckConnectArgs
TQObject
GetListOfClassSignals
GetListOfSignals
GetListOfConnections
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Connect
Disconnect
HighPriority
LowPriority
HasConnection
NumberOfSignals