

| RooAbsArg | | |
|---------------------------------|--------------------------|---------------------|
| Activate | _clientList | _inhibitDirty |
| DeActivate | _clientListShape | _deleteWatch |
| ConfigChange | _clientListValue | _nameLength |
| ValueChange | _proxyList | _valueDirty |
| Auto | _clientShapelter | _shapeDirty |
| AClean | _clientValueIter | _operMode |
| ADirty | _attribList | fglsA |
| | serverList | _verboseDirty |
| | | |
| @~RooAbsArg | getDependents | setValueDirty |
| clone | getDependents | setShapeDirty |
| Clone | dependentOverlap | appearValueDirty |
| isDerived | dependentOverlap | appearShapeDirty |
| isCloneOf | checkDependents | redirectServers |
| dependsOn | recursiveCheckDependents | redirectServers |
| dependsOn | attachDataSet | redirectServersHook |
| overlaps | readFromStream | serverNameChange |
| clientIterator | writeToStream | addServer |
| valueClientIterator | printToStream | addServerList |
| shapeClientIterator | Print | replaceServer |
| serverIterator | setAttribute | changeServer |
| findServer | getAttribute | removeServer |
| findServer | attribIterator | findNewServer |
| findServer | isConstant | registerProxy |
| isValueServer | getCloningAncestor | registerProxy |
| isValueServer | Compare | registerProxy |
| isShapeServer | IsSortable | unRegisterProxy |
| isShapeServer | verboseDirty | unRegisterProxy |
| leafNodeServerList | copyList | unRegisterProxy |
| branchNodeServerList | isDirty | getProxy |
| treeNodeServerList | isDirtyInhibit | setProxyNormSet |
| isFundamental | operator== | numProxies |
| createFundamental | nameFieldLength | printAttribList |
| isLValue | inRange | syncCache |
| getVariables | hasRange | copyCache |
| getParameters | constOptimize | attachToTree |
| getParameters | printCompactTree | setTreeBranchStatus |
| getParameters | printCompactTree | fillTreeBranch |
| getParameters | printCompactTree | fillBranchName |
| getObservables | setDeleteWatch | crc32 |
| getObservables | deleteWatch | setValueDirty |
| getObservables | setOperMode | setShapeDirty |
| getObservables | operModeHook | Class |
| observableOverlap | operMode | Class_Name |
| observableOverlap | isSolid | IsA |
| checkObservableOverlap | getParametersHook | ShowMembers |
| recursiveCheckObservableOverlap | getParametersHook | |
| getComponents | isShapeDirty | |
| getDependents | isValueDirty | |

| RooAbsReal | | |
|-------------------------|-------------------------|---------------------|
| Raw | _plotMax | _forceNumInt |
| Relative | _plotBins | _specIntegratorCon |
| NumEvent | _value | _cacheCheck |
| RelativeExpected | unit | fglsA |
| | plotMin | label |
| | | |
| @~RooAbsReal | setPlotRange | matchArgs |
| getVal | setPlotBins | matchArgs |
| getVal | setPlotLabel | matchArgs |
| operator== | getPlotLabel | matchArgs |
| operator== | inPlotRange | isValid |
| getUnit | defaultErrorLevels | ValidReal |
| setUnit | getIntegratorConfig | eval |
| getTitle | defaultIntegratorConfig | evalHook |
| bindVars | specialIntegratorConfig | |
| createFundamental | setIntegratorConfig | syncCache |
| getAnalyticalIntegral | getIntegratorConfig | copyCache |
| analyticalIntegral | isOn | attachToTree |
| getAnalyticalIntegral | plotSliceOn | setTreeBranchStatus |
| analyticalIntegral | fillHistogram | fillTreeBranch |
| forceAnalyticalIntegral | createHistogram | optimizeDirty |
| forceNumInt | readFromStream | doConstOpt |
| createIntegral | writeToStream | undoConstOpt |
| createIntegral | printToStream | findCacheableBranch |
| createIntegral | createProjection | findUnusedDataVars |
| createIntegral | createProjection | findRedundantEach |
| createIntegral | setCacheCheck | allClientsCached |
| createIntegral | plotOn | plotOn |
| getMaxVal | selectNormalization | plotAsymOn |
| maxVal | selectNormalization | maxArgsByName |
| getPlotMin | plotSanityCheck | Class |
| getPlotMax | makeProjectionSet | Class_Name |
| getPlotBins | integralNameSuffix | A |
| setPlotMin | createProjection | ShowMembers |
| setPlotMax | matchArgs | |

| RooAbsPdf | |
|--------------------|---------------------------|
| CanNotBeExtended | errorCount |
| CanBeExtended | _traceCount |
| MustBeExtended | _negCount |
| | _verboseEval |
| | _selectComp |
| | _rawValue |
| | _norm |
| | _evalError |
| | _normSet |
| | fglsA |
| | normMgr |
| | |
| @~RooAbsPdf | canBeExtended |
| generate | mustBeExtended |
| generate | expectedEvents |
| generate | expectedEvents |
| generate | printToStream |
| plotOn | verboseEval |
| plotCompOn | isSelectedComp |
| plotCompOn | fixAddCoefNormaliz |
| plotCompSliceOn | fixAddCoefRange |
| plotCompSliceOn | extendedTerm |
| plotNLLOn | clearEvalError |
| plotNLLOn | evalError |
| plotNLLOn | getNormObj |
| paramOn | paramOn |
| paramOn | plotOn |
| getGenerator | plotOnCompSelect |
| initGenerator | plotOn |
| generateEvent | randomizeProtoOrder |
| isDirectGenSafe | genContext |
| fitTo | syncNormalization |
| fitTo | syncNormalizationPreHook |
| fitTo | syncNormalizationPostHook |
| fitTo | plotCompOnEngine |
| traceEvalHook | operModeHook |
| getVal | redirectServersHook |
| getLogVal | selectComp |
| getNorm | globalSelectComp |
| getNorm | raiseEvalError |
| resetErrorCounter | Class |
| setTraceCounter | Class_Name |
| traceEvalPdf | IsA |
| analyticalIntegral | ShowMembers |
| selfNormalized | |
| extendMode | |

| RooBukinPdf | |
|---------------|--|
| x | |
| Xp | |
| sigp | |
| xi | |
| rho1 | |
| rho2 | |
| fglsA | |
| consts | |
| | |
| @~RooBukinPdf | |
| RooBukinPdf | |
| RooBukinPdf | |
| clone | |
| evaluate | |
| Class | |
| Class_Name | |
| IsA | |
| ShowMembers | |

| RooPrintable | | |
|----------------|---------------|------------------|
| InLine | Shape | |
| OneLine | Verbose | |
| Standard | fglsA | |
| | | |
| @~RooPrintable | inLinePrint | IsA |
| RooPrintable | oneLinePrint | ShowMembers |
| printToStream | defaultStream | Streamer |
| parseOptions | Class | StreamerNVirtual |