

TObject		
fUniqueID	kIsReferenced	kZombie
fBits	kHasUUID	kBitMask
fgDtorOnly	kCannotPick	kSingleKey
fgObjectStat	kNoContextMenu	kOverwrite
kCanDelete	kInvalidObject	kWriteDelete
kMustCleanup	kIsOnHeap	fgIsA
kObjInCanvas	kNotDeleted	
@~TObject	GetObjectInfo	operator new@[@]
MakeZombie	GetTitle	operator delete
DoError	HandleTimer	operator delete@[@]
TObject	Hash	operator delete
TObject	InheritsFrom	operator delete@[@]
operator=	InheritsFrom	SetBit
AppendPad	Inspect	SetBit
Browse	IsFolder	ResetBit
ClassName	IsEqual	TestBit
Clear	IsSortable	TestBits
Clone	IsOnHeap	InvertBit
Compare	IsZombie	Info
Copy	Notify	Warning
Delete	Is	Error
DistanceToPrimitive	Paint	SysError
Draw	Pop	Fatal
DrawClass	Print	AbstractMethod
DrawClone	Read	MayNotUse
Dump	RecursiveRemove	SetDtorOnly
Execute	SaveAs	SetDtorOnly
Execute	SavePrimitive	GetObjectStat
ExecuteEvent	SetDrawOption	SetObjectStat
FindObject	SetUniqueID	Class
FindObject	UseCurrentStyle	Class_Name
GetDrawOption	Write	IsA
GetUniqueID	Write	ShowMembers
GetName	operator new	
GetIconName	operator new@[@]	
GetOption	operator new	

TNamed
fName
fTitle
fgIsA
@~TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

TSocket	
kRead	fSecContext
kWrite	fService
kSOCKD	fServType
kROOTD	fSocket
kPROOFD	fTcpWindowSize
fAddress	fUrl
fBytesRecv	fgBytesRecv
fBytesSent	fgBytesSent
fCompress	fgClientProtocol
fLocalAddress	fgIsA
fRemoteProtocol	
@~TSocket	Recv
TSocket	Recv
Authenticate	Recv
SetDescriptor	Recv
operator=	RecvRaw
GetOption	Select
TSocket	Send
TSocket	Send
TSocket	Send
TSocket	Send
TSocket	SendObject
TSocket	SendRaw
Close	SetCompressionLevel
GetDescriptor	SetOption
GetInetAddress	SetRemoteProtocol
GetLocalInetAddress	SetSecContext
GetPort	SetService
GetService	SetServType
GetServType	SetUrl
GetLocalPort	GetClientProtocol
GetBytesSent	GetSocketBytesSent
GetBytesRecv	GetSocketBytesRecv
GetCompressionCode	CreateAuthSocket
GetErrorCode	CreateAuthSocket
GetOption	NetError
GetRemoteProtocol	Class
GetSecContext	Class_Name
GetTcpWindowSize	IsA
GetUrl	ShowMembers
IsAuthenticated	
IsValid	

TXSocket		
fMode	fByteCur	kQuerySessions
fSendOpt	fBufCur	kSessionTag
fSessionID	fIMtx	kSessionAlias
fUser	fILev	kGetWorkers
fHost	fPid	kQueryWorkers
fPort	fDontTimeout	kCleanupSessions
fLogLevel	fRDInterrupt	kQueryLogPaths
fBuffer	fXrdProofdVersion	kReadBuffer
fReference	fgReadySock	kQueryROOTVersions
fHandler	fgReadyMtx	kROOTVersion
fConn	fgPipe[2]	kGroupProperties
fASem	fgLoc	kSendMsgToUser
fAMtx	fgInitDone	kStopProcess
fAQue	fgSMtx	fgIsA
fByteLeft	fgSQue	
@~TXSocket	GetClientID	Recv
PickUpReady	GetClientIDSize	Recv
PopUpSpare	GetLogConnID	Recv
PushBackSpare	GetOpenError	Recv
GetLowSocket	GetServType	RecvRaw
GetPipeRead	GetSessionID	SendInterrupt
PostPipe	GetXrdProofdVersion	SendInterrupt
CleanPipe	IsValid	SendUrgent
FlushPipe	IsServProofd	SetInterrupt
InitEnvs	RemoveClientID	Flush
DumpReadySock	SetClientID	Ping
TXSocket	SetSendOpt	SetOption
TXSocket	SetSessionID	DisableTimeout
operator=	Send	EnableTimeout
Close	Send	Class
Create	Send	Class_Name
DisconnectSession	Send	IsA
DoError	SendRaw	ShowMembers
ProcessUnsolicitedMsg	SendMsgCoordinator	

XrdClientAbsUnsolicitedMsgHandler