

TNamed
fName
fTitle
fglsA
@~TNamed
TNamed
TNamed
TNamed
TNamed
operator=
Clear
Clone
Compare
Copy
FillBuffer
GetName
GetTitle
Hash
IsSortable
SetName
SetNameTitle
SetTitle
Is
Print
Sizeof
Class
Class_Name
IsA
ShowMembers

TSocket
kRead
kWrite
kSOCKD
kROOTD
kPROOFD
fAddress
fBytesRecv
fBytesSent
fCompress
fLocalAddress
fRemoteProtocol
@~TSocket
TSocket
Authenticate
SetDescriptor
operator=
GetOption
TSocket
TSocket
TSocket
TSocket
TSocket
TSocket
TSocket
Close
GetDescriptor
GetInetAddress
GetLocalInetAddress
GetPort
GetService
GetServType
GetLocalPort
GetBytesSent
GetBytesRecv
GetCompressionLevel
GetErrorCodes
GetOption
GetRemoteProtocol
GetSecContext
GetTcpWindowSize
GetUrl
IsAuthenticated
IsValid

TXSocket
fMode
fSendOpt
fSessionID
fUser
fHost
fPort
fLogLevel
fBuffer
fReference
fHandler
fConn
fASem
fAMtx
fAQue
fByteLeft
fByteCur
fBufCur
fIMtx
fILev
fPid
fDontTimeout
fRDInterrupt
fXrdProofdVersion
fgReadySock
fgReadyMtx
fgPipe[2]
fgLoc
fgInitDone
fgSMtx
fgSQue
@~TXSocket
PickUpReady
PopUpSpare
PushBackSpare
GetLowSocket
GetPipeRead
PostPipe
CleanPipe
FlushPipe
InitEnvs
DumpReadySock
TXSocket
TXSocket
operator=
Close
Create
DisconnectSession
DoError
ProcessUnsolicitedMsg
kQuerySessions
kSessionTag
kSessionAlias
kGetWorkers
kQueryWorkers
kCleanupSessions
kQueryLogPaths
kReadBuffer
kQueryROOTVersion
kROOTVersion
kGroupProperties
kSendMsgToUser
kStopProcess
fglsA
GetClientID
GetClientIDSize
GetLogConnID
GetOpenError
GetServType
GetSessionID
GetXrdProofdVersion
GetInterrupt
IsValid
SendUrgent
SetInterrupt
Flush
Ping
SetOption
DisableTimeout
EnableTimeout
Class
Class_Name
IsA
ShowMembers
MsgCoordinator
XrdClientAbsUnsolMsgHandler

TXUnixSocket
fClientIDs
fglsA
@~TXUnixSocket
TXUnixSocket
GetClientID
GetClientIDSize
RemoveClientID
SetClientID
Class
Class_Name
IsA
ShowMembers