

**QObject**

staticMetaObject      staticQtMetaObject  
 staticMetaObjectExtraData  
 d\_ptr

metaObject      connect  
 qt\_metacast      connect  
 tr      disconnect  
 trUtf8      disconnect  
 tr      disconnect  
 trUtf8      disconnect  
 qt\_metacall      dumpObjectTree  
 qt\_static\_metacall      dumpObjectInfo  
 d\_func      setProperty  
 d\_func      property  
 QObject      dynamicPropertyNames  
 @~QObject      registerUserData  
 event      setUserData  
 eventFilter      userData  
 objectName      destroyed  
 setObjectName      parent  
 isWidgetType      inherits  
 signalsBlocked      deleteLater  
 blockSignals      sender  
 thread      senderSignalIndex  
 moveToThread      receivers  
 startTimer      timerEvent  
 killTimer      childEvent  
 children      customEvent  
 setParent      connectNotify  
 installEventFilter      disconnectNotify  
 removeEventFilter      QObject  
 connect

**QTimer**

staticMetaObject  
 staticMetaObjectExtraData  
 id  
 inter  
 del  
 single  
 nulltimer

metaObject  
 qt\_metacast  
 tr  
 trUtf8  
 tr  
 trUtf8  
 trUtf8  
 qt\_metacall  
 qt\_static\_metacall  
 QTimer  
 @~QTimer  
 isActive  
 timerId  
 setInterval  
 interval  
 setSingleShot  
 isSingleShot  
 singleShot  
 start  
 start  
 stop  
 timeout  
 timerEvent  
 QTimer  
 operator=

**TQtTimer**

staticMetaObject  
 staticMetaObjectExtraData  
 fgQTimer  
 fCounter  
 fgIsA

metaObject  
 qt\_metacast  
 tr  
 trUtf8  
 tr  
 trUtf8  
 qt\_metacall  
 qt\_static\_metacall  
 operator=  
 TQtTimer  
 TQtTimer  
 AwakeRootEvent  
 @~TQtTimer  
 Create  
 QTimer  
 Class  
 Class\_Name  
 IsA  
 ShowMembers