

| TObject | | |
|---------------------|-------------------|----------------------|
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | fUniqueID |
| kIsReferenced | kZombie | fBits |
| kHasUUID | kBitMask | |
| Streamer | GetOption | operator new |
| MakeZombie | GetObjectInfo | operator new@[@] |
| DoError | GetTitle | operator delete |
| TObject | HandleTimer | operator delete@[@] |
| TObject | Hash | operator delete |
| operator= | InheritsFrom | operator delete@[@] |
| @-TObject | InheritsFrom | SetBit |
| AppendPad | Inspect | SetBit |
| Browse | IsFolder | ResetBit |
| ClassName | IsEqual | TestBit |
| Clear | IsSortable | TestBits |
| Clone | IsOnHeap | InvertBit |
| Compare | IsZombie | Info |
| Copy | Notify | Warning |
| Delete | Is | Error |
| DistancetoPrimitive | Paint | SysError |
| Draw | Pop | Fatal |
| DrawClass | Print | AbstractMethod |
| DrawClone | Read | MayNotUse |
| Dump | RecursiveRemove | Obsolete |
| Execute | SaveAs | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOption | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOption | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | |
| GetIconName | operator new@[@] | |

| TNamed |
|--------------|
| fgIsA |
| fName |
| fTitle |
| Streamer |
| TNamed |
| TNamed |
| TNamed |
| operator= |
| @-TNamed |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |

| TStreamerElement | |
|-----------------------|------------------|
| kSTL | kDoNotDelete |
| kSTLstring | kWholeObject |
| kSTLvector | fgIsA |
| kSTLlist | fType |
| kSTLforwardlist | fSize |
| kSTLdeque | fArrayLength |
| kSTLmap | fArrayDim |
| kSTLmultimap | fMaxIndex[5] |
| kSTLset | fOffset |
| kSTLmultiset | fObjectOffset |
| kSTLunorderedset | fNewType |
| kSTLunorderedmultiset | fTypeName |
| kSTLunorderedmap | fClassObject |
| kSTLunorderedmultimap | fNewClass |
| kSTLbitset | fStreamer |
| kHasRange | fXmin |
| kCache | fXmax |
| kRepeat | fFactor |
| kRead | |
| kWrite | |
| TStreamerElement | GetXmin |
| operator= | GetXmax |
| TStreamerElement | Init |
| TStreamerElement | IsAPointer |
| @-TStreamerElement | HasCounter |
| CannotSplit | IsOldFormat |
| GetArrayDim | IsBase |
| GetArrayLength | IsTransient |
| GetClassPointer | Is |
| GetClass | SetArrayDim |
| GetExecID | SetMaxIndex |
| GetFullName | SetOffset |
| GetInclude | SetTObjectOffset |
| GetMaxIndex | SetStreamer |
| GetMethod | SetSize |
| GetStreamer | SetNewType |
| GetSize | SetNewClass |
| GetNewType | SetType |
| GetNewClass | SetTypeName |
| GetType | Update |
| GetOffset | Class |
| GetSequenceType | Class_Name |
| GetTObjectOffset | IsA |
| GetTypeName | ShowMembers |
| GetTypeNameBasic | |
| GetFactor | |

| TStreamerSTL |
|----------------|
| kWarned |
| fgIsA |
| fSTLtype |
| fCtype |
| Streamer |
| TStreamerSTL |
| operator= |
| TStreamerSTL |
| TStreamerSTL |
| TStreamerSTL |
| @-TStreamerSTL |
| CannotSplit |
| IsAPointer |
| IsBase |
| GetSTLtype |
| GetType |
| GetInclude |
| GetSize |
| Is |
| SetSTLtype |
| SetCtype |
| SetStreamer |
| Class |
| Class_Name |
| IsA |